

Uline Inc.

Uline Cold Seal Bubble
Manufacturer MSDS Number:

SECTION 1 : CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Uline Cold Seal Bubble
Distributor Name: Uline Inc.
Distributor Address: 2200 Lakeside Dr.
Waukegan, IL 60085
Distributor Telephone: 1-800-295-5510
For emergencies in the US, call CHEMTREC: 800-424-9300
Manufacturer MSDS Revision Date: July 20, 2000
Trade Names: Supersedes: 3/1/96
Synonyms: Cold Seal® AirCap® Cohesive Air Cellular Cushioning
Chemical Family: Cold Seal® AirCap® Cohesive Air Cellular Cushioning
Chemical Formula: Plastics
Manufacturer Name: Polyethylene / mod. natural rubber latex, other proprietary resins

Address:

Chemical Name Synonyms: Polyethylene / mod. natural rubber latex,
other proprietary resins

Product Codes: S-818

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Name: [None](#)

SECTION 3 : HAZARDS IDENTIFICATION

None

SECTION 4 : FIRST AID MEASURES

Eye Contact: Flush with plain water.
Skin Contact: Wash area thoroughly with soap and water.
Inhalation: Remove from further exposure and obtain medical attention. Administer oxygen if necessary.
Ingestion: Obtain medical attention if necessary.

SECTION 5 : FIRE FIGHTING MEASURES

Flash Point: Not Applicable.
Upper Flammable or Explosive Limit: Not Applicable
Lower Flammable or Explosive Limit: Not Applicable
Extinguishing Media: CO₂, dry chemical, water spray, foam.
Fire Fighting Instructions: Firefighters should wear self-contained breathing apparatus to protect against irritating vapors. Full protective clothing should be worn. Use self-contained breathing apparatus in enclosed area.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personal Precautions: Handle generally as inert material.

SECTION 7 : HANDLING and STORAGE

Storage: Store in area protected with automatic sprinklers.
Storage Temperature: Below 170 deg F (77 deg C).

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION

Ventilation System: Good general ventilation.
Eye/Face Protection: Safety glasses recommended. Keep hands and gloves away from eyes.
Protective Clothing/Body Protection: Gloves may be used.
Respiratory Protection: None required.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance: Plastic bubble film material
Color: Clear, some haze.
Odor: None
Vapor Pressure: Nil
Vapor Density: (Air=1): Not Applicable
Boiling Point: Not Applicable
Melting Point: 200 deg F (93 deg C)
Solubility: In Water: Nil
Specific Gravity: 0.93
Density: Bulk Density: 0.5 – 3.5 lbs/cu.ft.
Percent Volatile: By Volume: Nil
Molecular Weight: Not Applicable

SECTION 10 : STABILITY AND REACTIVITY

Chemical Stability: Stable
Conditions to Avoid: Flame, high heat.
Incompatibilities with Other Materials: Oxidizers
Hazardous Polymerization: Will not occur.
Hazardous Decomposition Products: None

SECTION 11 : TOXICOLOGICAL INFORMATION

No applicable or a available data for this section.

SECTION 12 : ECOLOGICAL INFORMATION

Ecological Paragraph: This product is inert to the environment and is not expected to exhibit any significant biodegradation.

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal: Reuse, recycle, incinerate, or dispose in approved landfill. Follow all regulatory requirements for disposal.

SECTION 14 : TRANSPORT INFORMATION

DOT Shipping Name: Not regulated
IMO: Not regulated
IATA: Not regulated
Reportable Quantity: Not Applicable
ICAO Class: Not regulated

SECTION 15 : REGULATORY INFORMATION

Applies to all ingredients:
Section 302: None
Section 312 Hazard Category: None
Section 313 Toxic Release Form: None
RCRA Status: Is not classified as a RCRA hazardous waste.

SECTION 16 : ADDITIONAL INFORMATION

MSDS Revision Date: July 20, 2000
Supersedes issue: 3/1/96
Section(s) Revised: Format change
Rev. 7/00
Other Information: Incinerate or dispose away from food or water supply in landfill in compliance with federal, state and local regulations.

