Economy Bubble Wrap - Air Cellular Cushioning

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Economy Bubble Wrap - Air Cellular Cushioning

Distributor Name: Uline

Distributor Telephone: 800-295-5510

Manufacturer MSDS Revision Date: 05/09/2002

Supersedes: 06/02/2000 Manfacturer Trade Names:

AirCap® & Bubble Wrap® Air Cellular Cushioning

Synonyms:

AirCap® & Bubble Wrap® Air Cellular Cushioning

Chemical Name & Synonyms:

Polyethylene and other proprietary resins

Manufacturer Product Codes:

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS			

Hazardous Ingredient:

None

SECTION 3: HAZARDS IDENTIFICATION

HAZARDS IDENTIFICATION:

None

SECTION 4: FIRST AID MEASURES

Eye Contact:

Flush with plain water.

Skin Contact:

Wash area thoroughly with soap and water.

Inhalation:

Remove from further exposure and obtain medical attention. Administer oxygen if necessary.

Ingestion:

Obtain medical attention if necessary.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point:

Above 500 deg F (260 deg C)

Upper Flammable or Explosive Limit:

Not applicable

Lower Flammable or Explosive Limit:

Not applicable

Extinguishing Media:

CO2, dry chemical, water spray, foam.

Fire Fighting Instructions:

Fire fighters should wear self-contained breathing apparatus to protect against irritating vapors. Full protective clothing should be worn. Use self-contained breathing apparatus in enclosed area.

Unusual Fire Hazards:

Burns rapidly.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Handle generally as an inert material.

SECTION 7: HANDLING and STORAGE

Storage:

Store below 170 deg F (77 deg C) in area protected with automatic sprinklers.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Ventilation System:

Good general ventilation.

Eye/Face Protection:

Safety glasses recommended.

Protective Clothing/Body Protection:

Generally not required.

Respiratory Protection:

None required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance:

Plastic Air Cellular film material

Color:

Clear

Odor:

None

Melting Point:

200 deg F (93 deg C)

Specific Gravity:

0.93

Flashpoint:

Above 500 deg F (260 deg C)

Upper Flammable Explosive Limit:

Not applicable

Lower Flammable Explosive Limit:

Not applicable

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:

Stable

Conditions to Avoid:

Flame, sparks, high heat

Incompatibilities with Other Materials:

Oxidizers

Hazardous Decomposition Products:

None under normal use and storage.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Paragraph:

None established.

SECTION 12: ECOLOGICAL INFORMATION

Ecological Paragraph:

This product is inert to the environment and is not expected to exhibit any significant biodegradation.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Dispose of in compliance with federal, state and local regulations.

RCRA Hazard Class:

Not classified as a RCRA hazardous waste.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Information:

Not regulated

IMO:

Not regulated

IATA Class:

Not regulated

Reportable Quantity: Not applicable

ICAO Class:

Not regulated

SECTION 15: REGULATORY INFORMATION

Applies to all ingredients:

Section 302:

None

Section 312 Hazard Category:

None

Section 313 Toxic Release Form:

None

RCRA 261.33 Code: Status: Not classified as a RCRA hazardous waste.

SECTION 16: ADDITIONAL INFORMATION

MSDS Revision Date:

05/09/2002

Supersedes: 06/02/2000

OTHER INFORMATION:

None.

Copyright© 1996-2005 Actio Software Corporation. All Rights Reserved.