

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Material number : 000000000001041399

Manufacturer or supplier's details

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW
Atlanta, GA 30318

Telephone : 404-352-1680

Emergency telephone numbers**For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Bathroom Care Maintenance

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Appearance	liquid
Colour	green
Odour	characteristic

GHS Classification

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
orthophosphoric acid	7664-38-2	>= 20 - < 30
urea hydrochloride	506-89-8	>= 10 - < 20
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	>= 5 - < 10
Alcohols, C10-14, ethoxylated	66455-15-0	>= 5 - < 10
hydrochloric acid	7647-01-0	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
Wash off immediately with plenty of water for at least 15 minutes.
Remove contaminated clothing and shoes.
Wash contaminated clothing before reuse.
If skin irritation persists, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Rinse immediately with plenty of water for at least 15 minutes.
Remove contact lenses.
Protect unharmed eye.

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

	Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage.
Notes to physician	: Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO ₂) Carbon monoxide Smoke Phosphorus compounds Chlorine compounds Sulphur oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent further leakage or spillage if safe to do so.

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Store and keep away from bases and alkalies.
Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
		TWA	1 mg/m ³	NIOSH REL
		ST	3 mg/m ³	NIOSH REL
		TWA	1 mg/m ³	OSHA Z-1
		TWA	1 mg/m ³	OSHA P0
		STEL	3 mg/m ³	OSHA P0
		PEL	1 mg/m ³	CAL PEL
hydrochloric acid	7647-01-0	STEL	3 mg/m ³	CAL PEL
		C	2 ppm	ACGIH
		C	5 ppm 7 mg/m ³	NIOSH REL
		C	5 ppm 7 mg/m ³	OSHA Z-1
		C	5 ppm 7 mg/m ³	OSHA P0
		PEL	0.3 ppm 0.45 mg/m ³	CAL PEL

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

		C	2 ppm	CAL PEL
--	--	---	-------	---------

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : green

Odour : characteristic

Odour Threshold : No data available

pH : < 1

Melting point/freezing point : No data available

Boiling point : 100 °C

Flash point :
No data available

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.2 g/cm³

Bulk density : No data available

Solubility(ies)

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

Water solubility	: soluble in cold water, soluble in hot water
Solubility in other solvents	: not determined
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents Bases
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION**Potential Health Effects**

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain.

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

OSHA

carcinogen by ACGIH.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Acute toxicity**Product:**

Acute oral toxicity

: Acute toxicity estimate : 4,158 mg/kg
Method: Calculation method

Skin corrosion/irritation**Product:**

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product:**

Remarks: No data available

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential**Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8,

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

II

Transportation Regulation: IMDG (Vessel):
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: IATA (Cargo Air):
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Passenger Air):
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II

Transportation Regulation: TDG (Canada):
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.
No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
orthophosphoric acid	7664-38-2	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State of

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

California to cause cancer, birth defects, or any other reproductive harm.


The components of this product are reported in the following inventories:

TSCA On TSCA Inventory
DSL All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Causes severe skin burns and eye damage.

Precautionary statements

:

Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:

1.0

BZ7348 AP ACID BATH CLNR R00001 12Q/CS

Version 1.0

Revision Date 06/05/2017

Print Date 10/30/2019

Revision Date:	06/05/2017
Print Date:	10/30/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

Hoja de datos de seguridad del material



Zep Inc.
1310 Seaboard Industrial Blvd.
Atlanta, GA 30318
1-877-793-7776

Sección 1. Identificación del producto y de la compañía

Nombre del producto ALL PURPOSE ACID BATHROOM CLEANER

Uso del producto All Purpose Bathroom Cleaner

Código del producto R000

Fecha de emisión 08/05/08 **Sustituya**

Números de teléfono de emergencia

Por la Información de la Hoja de Datos de seguridad del material:

Compliance Services 1-877-793-7776

Por la Emergencia Medica

INFOTRAC: (877) 541-2016 Toll Free - All Calls Recorded

Por una Emergencia del Transporte

CHEMTREC: (800) 424-9300 - Gratis - Se graba
Todas las llamadas
En el Distrito de Columbia (202) 483-7616

Preparada por


Compliance Services
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318

Sección 2. Identificación de los riesgos

Visión general de la Emergencia

*Hazard Determination System (HDS): Health, Flammability, Reactivity

PELIGRO !



PROVOCA QUEMADURAS EN LOS OJOS Y LA PIEL. NOCIVO POR INGESTIÓN.

COMBUSTIBLE.

NOTA: Los datos de MSDS pertenecen al producto entregado en container(s) original. El riesgo de efectos de salud adversos es disminuido siguiendo todas las medidas de seguridad prescritas, incluyendo el uso apropiado de equipo protector personal.

Efectos agudos

Vías de absorción

Contacto cutáneo. Ingestión.

Ojos

Provoca quemaduras en los ojos. La exposición de los ojos puede ocasionar lesiones severas y permanentes en los ojos (ceguera).

Piel

Provoca quemaduras en la piel. La cantidad del tejido dañado depende de la duración del contacto. La inflamación de la piel se caracteriza por la comezón, escamadura, enrojecimiento o aparición ocasional de ampollas.

Inhalación

Evitar la inhalación del vapor, la pulverización o neblina. El líquido, spray o niebla pueden dañar el tejido, particularmente las mucosas de los ojos, de la boca o de las vías respiratorias.

Ingestión

Nocivo por ingestión. Puede ocasionar quemaduras en la boca, garganta y estómago.

Efectos crónicos

Una exposición repetida de la piel puede causar destrucción de ésta, o bien una dermatitis. Contiene material que puede causar daño a los órganos siguientes: riñones, hígado, oídos.

Vea la sección 11 para la información Toxicológica

Sección 3. Composición e información sobre los ingredientes

Name of Hazardous Ingredients

Número CAS

% by Weight

PHOSPHORIC ACID

7664-38-2

20 - 30

DODECYL BENZENE SULFONIC ACID; alkyl aryl sulfonic acid

27176-87-0

10 - 20

ALCOHOL ISOPROPILICO; IPA

67-63-0

5 - 15

HYDROCHLORIC ACID; muriatic acid; hydrogen chloride; HCl

7647-01-0

<5

Sección 4. Primeros auxilios

Contato con los ojos	Enjuagar los ojos inmediatamente con mucha agua, levantando ocasionalmente los párpados superior e inferior. Verificar si la víctima lleva lentes de contacto y en este caso, retirárselas. Continúe enjuagando por lo menos por 10 minutos. Obtenga atención médica inmediatamente.
Contato con la piel	Lave la piel contaminada con suficiente agua. Qútese la ropa y calzado contaminados. Continúe enjuagando por lo menos por 10 minutos. Lavar la ropa antes de volver a usarla. Procurar atención médica.
Inhalación	Transladar a la persona afectada al aire libre. Si le cuesta respirar, suministrar oxígeno. Si no respira, efectuar la respiración artificial. Procurar atención médica.
Ingestión	No inducir al vómito a menos que lo indique expresamente el personal médico. En caso de vómito, se debe mantener la cabeza baja de manera que el vómito no entre en los pulmones. Si la persona afectada está consiente, hacer que beba mucha agua. No suministrar nada por vía oral a una persona inconsciente. Obtenga atención médica inmediatamente.

Sección 5. Medidas de extinción de incendios

Punto de inflamación	Vaso cerrado: 41°C (105.8°F) [Tagliabue.]
Límites inflamables	No determinado.
Inflamabilidad	COMBUSTIBLE.
Riesgo de incendio	Líquido combustible. En caso de incendio o calentamiento, ocurrirá un aumento de presión y el recipiente estallará, con el riesgo de que ocurra una explosión.
Procedimientos de la lucha contra el fuego	Utilizar polvo químico seco, CO2, agua pulverizada o espuma (neblina).

National Fire Protection Association (Estados Unidos)



Sección 6. Medidas a tomar en el transcurso de derrames accidentales

Derrame Ordenar	Use el equipo de protección personal adecuado (vea la Sección 8). Eliminar todas las fuentes de ignición. Detener la fuga si esto no presenta ningún riesgo. Retire los envases del área del derrame. Diluir con el agua y limpiar si es soluble en agua o absorber con un material inerte seco y colocar en un contenedor de recuperación apropiado. Disponga por medio de un contratista autorizado para la disposición.
-----------------	--

Sección 7. Manejo y almacenaje

Manipulación	Use el equipo de protección personal adecuado (vea la Sección 8). Mantener alejado del calor, chispas, llamas al descubierto, o de cualquier otra fuente de ignición. No introducir en ojos o en la piel o ropa. No respire los vapores o nieblas. No ingerir. Use sólo con ventilación adecuada. Lávese completamente después del manejo. Los envases vacíos retienen residuos del producto y pueden ser peligrosos. No vuelva a usar el envase. Aplicar este producto sólo como se especifica en la etiqueta.
Almacenamiento	Almacenar en el contenedor original protegido de la luz directa del sol en un área seca, fresca y bien ventilada, separado de materiales incompatibles (ver sección 10) y comida y bebida. Mantener alejado del calor, chispas y llamas. Mantener el contenedor bien cerrado y sellado hasta el momento de usarlo. Manténgase fuera del alcance de los niños.

Sección 8. Controles de la exposición/Protección Personal

Nombre del producto	Límites de exposición
PHOSPHORIC ACID	ACGIH / OSHA (Estados Unidos). TWA: 1 mg/m³ 8 hora(s). ACGIH TLV (Estados Unidos). STEL: 3 mg/m³ 15 minuto(s).
DODECYL BENZENE SULFONIC ACID; alkyl aryl sulfonic acid	ACGIH / OSHA (Estados Unidos). TWA: 1 mg/m³ 8 hora(s). ACGIH TLV (Estados Unidos). STEL: 3 mg/m³ 15 minuto(s).
ALCOHOL ISOPROPILICO; IPA	ACGIH TLV (Estados Unidos). TWA: 200 ppm 8 hora(s). OSHA PEL (Estados Unidos). TWA: 400 ppm 8 hora(s). ACGIH/OSHA (Estados Unidos). STEL: 400 ppm 15 minuto(s).
HYDROCHLORIC ACID; muriatic acid; hydrogen chloride; HCl	ACGIH TLV/OSHA PEL (Estados Unidos). CEIL: 5 ppm 8 hora(s). OSHA PEL (Estados Unidos). CEIL: 7 mg/m³ 8 hora(s).

Equipo Protector Personal

Ojos

Lentes anti-salpicaduras.

Cuerpo

Vista ropa protectora apropiada para prevenir el contacto con la piel. Recomendado: Guantes de caucho. Neoprene gloves. Nitrile gloves.

Respiratoria

Usar con ventilación adecuada. Asegurar una ventilación exhaustiva u otros controles de ingeniería que mantengan las concentraciones de vapores en el aire por debajo del límite de exposición laboral correspondiente.



Sección 9. Propiedades físicas y químicas

Estado físico

Líquido.

pH

<1

Punto de ebullición

94.4°C (202°F)

Peso específico

1.14 (Agua = 1)

Solubilidad

Fácilmente soluble en los siguientes materiales: agua fría y agua caliente.

Color

Verde.

Olor

Sabor de menta.

Presión de vapor

No determinado.

Densidad de vapor

No determinado.

Índice de evaporación

No determinado.

VOC (Consumidor)

12.15% 1.15lb/gal 138.27g/l

Sección 10. Datos sobre la estabilidad y la reactividad

Estabilidad y reactividad

El producto es estable.

Incompatibility

Reactivo o incompatible con los siguientes materiales: materiales oxidantes y los álcalis.

Polimerización peligrosa

No se producirá.

Productos de descomposición peligrosos

óxidos de carbono (CO, CO₂)

Sección 11. Información toxicológica

Toxicidad aguda				
Nombre de producto o ingrediente	Resultado	Especies	Dosis	Exposición
Phosphoric Acid	DL50 Dérmica	Conejo	>3160 mg/kg	-
	DL50 Oral	Rata	4400 mg/kg	-
Dodecylbenzene sulfonic acid	DL50 Oral	Rata	2140 mg/kg	-
	CL50 Inhalación	Rata	510 mg/m ³	2 horas
	Vapores			
	CL50 Inhalación	Ratón	320 mg/m ³	2 horas
Isopropyl Alcohol	Vapores			
	DL50 Dérmica	Conejo	13000 mg/kg	-
	DL50 Oral	Rata	4700 mg/kg	-
	CL50 Inhalación	Rata	22500 ppm	8 horas
	Vapores			
	CL50 Inhalación	Rata	19000 ppm	8 horas
Hydrochloric Acid	Vapores			
	DL50 Oral	Conejo	900 mg/kg	-
	CL50 Inhalación	Rata	3124 ppm	1 horas
	Vapores			

Sección 12. Información sobre la ecología

Efectos ambientales

No se conocen efectos significativos o riesgos críticos.

Ecotoxicidad acuática

Nombre de producto o ingrediente	Prueba	Resultado	Especies	Exposición
Phosphoric Acid	-	Agudo CL50 138 mg/L	Pez	96 horas

Sección 13. Consideraciones en el momento de la eliminación

Información sobre los desechos

Los desperdicios deben ser desechados de acuerdo con las regulaciones federales, estatales y de control ambiental local.

Corriente de desperdicio

Código: D001, D002
Clasificación: - (Desecho peligroso.)
Origen: - (Desecho RCRA.)

Sección 14. Información sobre el transporte

Información reglamentaria	Número ONU	Nombre de envío adecuado	Clases	GE*	Etiqueta
Clasificación DOT	3264	Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric Acid, Hydrochloric Acid)	8	II	
Clase IMDG	No determinado.				

NOTA: La clasificación de DOT aplica a la mayor parte de los tamaños de los paquetes. Para clasificaciones de un tamaño específico del recipiente o para excepciones de tamaño, refiérase a la Poliza de Embarque con su cargamento.

GE* : Grupo de embalaje

Sección 15. Informaciones reglamentarias

Regulaciones Federales de EUA

SARA 313 notificación de emisión de sustancias químicas tóxicas:
No se encontraron productos.

Acta de limpieza del agua (CWA) 307: No se encontraron productos.

Acta de limpieza del agua (CWA) 311: Phosphoric Acid (RQ 5,000 lbs); Dodecylbenzene sulfonic acid (RQ 1,000 lbs); Hydrochloric Acid (RQ 5,000 lbs)

Acta de limpieza del aire (CAA) 112 sustancias tóxicas reguladas: No se encontraron productos.

Todos los componentes de este producto están listados o están exentos de la lista de inventario TSCA.

Reglamentaciones estatales

California Prop 65 No se encontraron productos.

Sección 16. Datos complementarios

A nuestro leal saber y entender, la información aquí contenida es exacta. No obstante, ni el proveedor antedicho ni ninguna de sus subsidiarias asumen responsabilidad alguna en cuanto a la exactitud o integridad de la información contenida. La determinación final relativa a la idoneidad de todo material es responsabilidad exclusiva del usuario. Todos los materiales pueden presentar peligros desconocidos y deben usarse con cautela. Si bien aquí se describen ciertos peligros, no podemos garantizar que éstos sean los únicos que existan.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.