PDD Contact : David Arbeit Test or Eva	uation : Test Report Number : 25645
Received Date : 12/23/2008 Processed	Date : 12/26/2008 GroundExpress
Customer Information	FedEx Location Information
Acct # : 221033531	Express Station ID: FEPA
Uline	Express Sr Manager: Stephen Strong
2200 S. Lakeside Dr.	Ground Terminal Id: WHLG
Waukegan, IL 60085 USA	Ground Sr Manager: Scott Haeger
Contact: Maryane Semenyuk	Sales Professional : Suzanne M. Brody
Phone: 847-473-3000	Phone Number : 815-302-3190
	Field Engineer:     Scott A. Gindt
	Phone Number : 414-443-2078
Commodity Code :58UN No :Values :\$80.00Product Description:12	Model Number:         S-11351         Pcs. Per Pkg:         12           Champagne Bottle Shipper -
Size : L (in): 20.5       W (in): 16       H (in): 15.25       Wt (II         Container Specs:       C-Flute Single Wall 200 Burst Test         Other Outer Info:       Regular slotted container	o): 47.75 Outer Container Type: Corrugated
Inner Packaging I: Inner Pac	caging II: Polystyrene Fo Sealing Method: Tape
Other Inner Info: 2-piece custom polystyrene foam	
Other Inner Info: 2-piece custom polystyrene foam           Test Procedures Completed	
Test Procedures Completed	
Test Type : International - FedEx	Drop Sequence : Two Sets Free - Fall
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches	
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage	
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage         Compression Factor: 5	Drop Sequence : Two Sets Free - Fall
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage         Compression Factor: 5         Compression Results: Meets Minimum Specifications	Drop Sequence : Two Sets Free - Fall
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage         Compression Factor: 5         Compression Results: Meets Minimum Specifications         Vibration Profile: International FedEx	Drop Sequence : Two Sets Free - Fall Compression Load (Ibf) : 1065
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage         Compression Factor: 5         Compression Results: Meets Minimum Specifications         Vibration Profile: International FedEx         Vibration Results: No Visible Damage	Drop Sequence : Two Sets Free - Fall Compression Load (Ibf) : 1065
Test Procedures Completed         Test Type : International - FedEx         Drop Height (in) : 30 inches         Drop Results: No Visible Damage         Compression Factor: 5         Compression Results: Meets Minimum Specifications         Vibration Profile: International FedEx	Drop Sequence : Two Sets Free - Fall Compression Load (Ibf) : 1065 Vibration Duration: 90 Minutes Random

<u>25645</u>

## Test Results Date: 12/29/2008

Definitions of Results	
Passed	A Package,with article, that has passed all the Fedex Standard Testing Procedures. For Commodiities restricted under Liabilities Not Assumed in the Fedex Service Guide, Service Guide Terms and Conditions will take precedence.
ailed:	A package, with article, that has failed all FedEx Standard Testing Procedures.
Pending:	A package, with article, that has been tested to all FedEx Standard Test Procedures. Confirmation of results is subject to customer inspection.

Comments and Packaging Recommendations\*

\* Our provision of advice, assistance or guidance on the appropriate packaging of shipment does not constitute acceptance of liability, unless such advice, assistance or guidance is in writing from the FedEx Packaging Design and Development department and expressly accepts liability in the event of a damaged shipment.

Photos / Drawings (if Applicable)









