

ULINE S-19373
S-19374
**2 IN 1 CLEANER
AND DISINFECTANT**

1-800-295-5510
uline.com



ACTIVE INGREDIENTS

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.105%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.105%
INERT INGREDIENTS	99.790%
TOTAL.....	100.000%

SPECIFICATIONS



CAUTION: Keep out of reach of children.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is designed specifically as a general cleaner and disinfectant for use in hospitals, office buildings, and manufacturing facilities where housekeeping is of prime importance in controlling the hazard of cross-contamination. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, chrome, brass, copper, laminated surfaces, baked enamel surfaces, bathrooms, shower stalls, bathtubs, and cabinets. For plastic and painted surfaces, spot test on an inconspicuous area before use. A rinse with potable water is required for surfaces in direct contact with food. This product is not for use on critical or semi-critical medical device surfaces. **DISINFECTION, DEODORIZING AND CLEANING:** Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes. No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum. **BACTERICIDAL ACTIVITY (BACTERIA):** Pseudomonas aeruginosa, Listeria monocytogenes, Staphylococcus aureus, Yersinia enterocolitica, Salmonella (choleraesuis) enterica, Enterococcus faecium, Escherichia coli, Corynebacterium ammoniagenes, Escherichia coli O157:H7, Salmonella (typhi) enterica, Streptococcus pyogenes (Necrotizing Fasciitis-Group A) (V.A. Medical Center Isolate 04001). **ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:** Methicillin-resistant Staphylococcus aureus (MRSA), Vancomycin-resistant Enterococcus faecalis (VRE), Vancomycin intermediate-resistant Staphylococcus aureus (VISA), (CDC Isolate 99287), Methicillin-resistant Staphylococcus epidermidis (MRSE), Community Associated Methicillin-resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin-resistant Staphylococcus aureus (CA-MRSA), (NRS 384) Genotype USA300. **VIRUCIDAL ACTIVITY:** This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a 10 minute contact time against: Hepatitis A Virus (HAV), Canine Parvovirus, Poliovirus Type 1. This product, when used on environmental, inanimate hard surfaces exhibits virucidal activity against: Bovine Viral Diarrhea Virus (BVDV) when the treated surface is allowed to remain wet for 5 minutes; Human Coronavirus, SARS associated Coronavirus and Avian Influenza A (Avian Influenza strains H3N2 and H9N2) for 2 minutes; Paramyxovirus (mumps) Rhinovirus type 39 and Rotavirus for 3 minutes; and Norovirus (Norwalk virus), Feline Calicivirus and Rabies Virus for 30 seconds. Kills Pandemic 2009 H1N1 Influenza A virus.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. You may contact 1-800-424-9300 for emergency medical treatment information. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. Turn the container over onto its other end and tip it back and forth several times.

EPA REG. No. 1839-83-89809 EPA EST. NO. 8370-IL-1